



AEON

Junior-Cobra 50



Engine

Type: Single cylinder, 2 stroke, air cooled
Displacement: 49,3 cc
Bore x stroke: 40 x 39,2 mm
Compression ratio: 7,6 : 1
Max power: 2,26 Kw at 5800 rpm
Max Torque: 3,73 Nm at 5724 rpm
Lubrication: Automatic mixer
Ignition: C.D.I.
Starter: Electric and kick starter
Gear: CVT system with reverse gear
Fuel tank capacity: 5 liters

Frame Body

Length: 1676 mm
Width: 961,5 mm
Height: 1007 mm
Wheelbase: 1051 mm
Min. ground clear: 112 mm
Seat height: 800 mm
Net weight: 129 Kg
Front brake: Double brake drum
Rear brake: Hydraulic single discs
Front tires: AT 20 X 7-8
Rear tires: AT 19 X 9,5-9

Junior-Minikolt 50



Engine

Type: Single cylinder, 2 stroke, air cooled
Displacement: 49,3 cc
Bore x stroke: 40 x 39,2 mm
Compression ratio: 6,8 : 1
Max power: 2,26 Kw at 5800 rpm
Max Torque: 3,32 Nm at 5724 rpm
Lubrication: Automatic mixer
Ignition: C.D.I.
Starter: Electric and kick starter
Gear: CVT system
Fuel tank capacity: 3,4 liters

Frame Body

Length: 1180 mm
Width: 780 mm
Height: 750 mm
Wheelbase: 745 mm
Min. ground clear: 75 mm
Seat height: 550 mm
Net weight: 77 Kg
Front brake: Double brake drum
Rear brake: Hydraulic single drum
Front tires: AT 14 X 5.5-6
Rear tires: AT 15 X 6-6

Sport-Cobra 400



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 346 cc
Bore x stroke: 82 x 65,6 mm
Compression ratio: 10,6 : 1
Max power: 15 Kw at 8500 rpm
Max Torque: 30 Nm at 6500 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric and recoil
Gear: CVT system with reverse gear
Fuel tank capacity: 9,3 liters

Frame Body

Length: 1820 mm
Width: 1150 mm
Height: 1050 mm
Wheelbase: 1300 mm
Min. ground clear: 180 mm
Seat height: 800 mm
Net weight: 207 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single disc
Front tires: AT 21 X 7-10
Rear tires: AT 20 X 10-9

Sport-Cobra S



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 272 cc
Bore x stroke: 72,7 x 65,6 mm
Compression ratio: 10,3 : 1
Max power: 14,5 Kw at 6500 rpm
Max Torque: 19,2 Nm at 6000 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric and recoil
Gear: CVT system with reverse gear
Fuel tank capacity: 9,3 litres

Frame Body

Length: 1820 mm
Width: 1150 mm
Height: 1050 mm
Wheelbase: 1300 mm
Min. ground clear: 180 mm
Seat height: 800 mm
Net weight: 206 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single discs
Front tires: AT 21 X 7-10
Rear tires: AT 20 X 10-9

Sport-Cobra Super Moto



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 346 cc
Bore x stroke: 82 x 65,6 mm
Compression ratio: 10,6 : 1
Max power: 15 Kw at 8500 rpm
Max Torque: 30 Nm at 6500 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric and recoil
Gear: CVT system with reverse gear
Fuel tank capacity: 9,3 liters

Frame Body

Length: 1820 mm
Width: 1290 mm
Height: 1050 mm
Wheelbase: 1300 mm
Min. ground clear: 160 mm
Seat height: 780 mm
Net weight: 207 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single discs
Front tires: 165/70-10"
Rear tires: 225/40-10"

Utility-Crossland 400 2X4



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 346 cc
Bore x stroke: 82 x 65,6 mm
Compression ratio: 10,6 : 1
Max power: 15 Kw at 8500 rp
Max Torque: 30 Nm at 6500 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric and recoil
Gear: CVT system with reverse & low gear
Fuel tank capacity: 14 liters

Frame Body

Length: 1940 mm
Width: 1080 mm
Height: 1150 mm
Wheelbase: 1200 mm
Min. ground clear: 200 mm
Seat height: 850 mm
Net weight: 222 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single discs
Front tires: AT 23 X 7-10
Rear tires: AT 23 X 10-10

Utility-Crossland 400 4X4



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 346 cc
Bore x stroke: 82 x 65,6 mm
Compression ratio: 10,6 : 1
Max power: 15 Kw at 8500 rp
Max Torque: 30 Nm at 6500 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric and recoil
Gear: CVT 4WD system with reverse & low gear
Fuel tank capacity: 14 liters

Frame Body

Length: 1980 mm
Width: 1080 mm
Height: 1170 mm
Wheelbase: 1230 mm
Min. ground clear: 200 mm
Seat height: 850 mm
Net weight: 236 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single discs
Front tires: AT 25 X 8-12
Rear tires: AT 25 X 10-12

Utility-Crossland 600 4X4



Engine

Type: Single cylinder, 4 stroke, 4 v, liquid cooled
Displacement: 565 cc
Bore x stroke: 92 x 85 mm
Compression ratio: 10 : 1
Max Power: 15 Kw a 7000 rpm
Max Torque: 43.6 Nm a 4500 rpm
Lubrication: Carter umido, pumps pressurized oil
Intake system: EFI system
Starter: Eletric
Transmission: Automatic CVT, 4WD with low, high, reverse speed and parking
Fuel tank capacity: 23 liters

Frame Body

Length: 2257 mm
Width: 1220 mm
Height: 1389 mm
Wheelbase: 1360 mm
Min. ground clear: 272 mm
Seat height: 920 mm
Net weight: 411 Kg
Front brake: Double hydraulic discs
Rear brake: Double hydraulic discs
Front wheel: Cerchi alluminio 14" x 6.5"
Rear wheel: Cerchi alluminio 14" x 8"
Front tires: 26 x 8 – 14"
Rear tires: 26 x 10 – 14"

Utility-Crossland 300



Engine

Type: 4 stroke, Liquid Cooled,
Vertical Cylinder
Displacement: 272.3
Bore x Stroke: 72.7 x 85.6 mm
Compression Ratio: 10.3:1
Max Power: 14Kw @ 6500rpm
Max Torque: 22Nm @ 3500rpm
Lubrication: Oil Pump Pressurized
Fuel Supply: Premium Grade
Unleaded Petrol
Clutch Type: Automatic, Dry
Centrifugal
Ignition: C.D.I
Starter System: Electric, Recoil
Transmission: Automatic, CVT
System (L/F/N/R)
Fuel tank capacity: 14 liters

Frame Body

Length: 1940 mm
Width: 1080 mm
Height: 1180 mm
Wheelbase: 1200 mm
Min. ground clear: 200 mm
Seat height: 850 mm
Net weight: 203 Kg
Front brake: 2 discs 172 mm
Rear brake: single disc 220 mm
Front tires: 23 X 7 X 10
Rear tires: 23 X 10 X 10

Work-Cube 300 2X4



Engine

Type: 4v Single cylinder, 4 stroke, liquid cooled
Displacement: 272,2 cc
Bore x stroke: 72,7 x 65,6 mm
Compression ratio: 10,3 : 1
Max power: 14,5 Kw at 6500 rpm
Max Torque: 19,2 Nm at 6000 rpm
Lubrication: Wet sump
Ignition: C.D.I.
Starter: Electric
Gear: CVT system with reverse gear
Fuel tank capacity: 17,8 liters

Frame Body

Length: 2700 mm
Width: 1350 mm
Height: 1845 mm
Wheelbase: 1835 mm
Min. ground clear: 200 mm
Seat height: 750 mm
Net weight: 397 Kg
Front brake: Hydraulic double discs
Rear brake: Hydraulic single discs
Front tires: AT 20 X 7-10
Rear tires: AT 23 X 10-10
Mx load R dump box: 200 kg
Mx load of trailer: 195 kg