



B1 - 50CC



Engine

Type: single cylinder, 2 stroke, air cooled
Displacement: 49,2 CC
Bore x Stroke: 40 x 39,2 mm
Compression Ratio: 7:1
Max power: 2,9 Kw @ 6500rpm
Ignition: C.D.I
Starter: Electric and kick
Gear System: Automatic CVT
Gear: V-Belt
Battery: 12V/7A
Fuel tank: 5.5 liters

Frame Body

Length*Width*Height:
1690mm*645mm*1135mm
Seat Height: 790mm
Wheelbase: 1220mm
Net Weight: 78Kg
Front Brake: Brake Disc
Rear Brake: Brake Drum
Front tire: 120/70-12"
Rear tire: 120/70-12"
Front Suspension: Telescopic
Rear Suspension: Hydraulic

B3 - 50CC



Engine

Type: single cylinder, 4 stroke, liquid cooled
Displacement: 49 CC
Bore x Stroke: 38 x 39,2 mm
Compression Ratio: 12.5:1
Max power: 2,9 Kw @ 8500rpm
Ignition: C.D.I
Starter: Electric and kick
Gear System: Automatic CVT
Gear: V-Belt
Battery: 12V/7A
Fuel tank: 6.8 liters

Frame Body

Length*Width*Height:
1990mm*700mm*1130mm
Seat Height: 800mm
Wheelbase: 1330mm
Net Weight: 95Kg
Front Brake: Brake Disc
Rear Brake: Brake Disc
Front tire: 100/80-16"
Rear tire: 120/70-14"
Front Suspension: Telescopic
Rear Suspension: Hydraulic

B3 - 125CC



Engine

Type: single cylinder, 4 stroke, air cooled
Displacement: 124.6 CC
Bore x Stroke: 52.4 x 57.8 mm
Compression Ratio: 10.5:1
Max power: 6.6 Kw @ 8000rpm
Ignition: C.D.I
Starter: Electric and kick
Gear System: Automatic CVT
Gear: V-Belt
Battery: 12V/7A
Fuel tank: 6.8 liters

Frame Body

Length*Width*Height:
2040mm*700mm*1130mm
Seat Height: 800mm
Wheelbase: 1340mm
Net Weight: 106Kg
Front Brake: Brake Disc
Rear Brake: Brake Disc
Front tire: 100/80-16"
Rear tire: 120/70-14"
Front Suspension: Telescopic
Rear Suspension: Hydraulic

Thor - 50CC



Engine

Type: single cylinder, 2 stroke, liquid cooled
Displacement: 49.3 CC
Bore x Stroke: 40 x 39,2 mm
Compression Ratio: 12:1
Max power: 3.2 Kw @ 5000rpm
Ignition: C.D.I
Starter: Electric and kick
Gear System: Automatic CVT
Gear: V-Belt
Battery: 12V/7A
Fuel tank: 6.8 liters

Frame Body

Length*Width*Height:
1860mm*680mm*1150mm
Seat Height: 810mm
Wheelbase: 1315mm
Net Weight: 84Kg
Front Brake: Brake Disc
Rear Brake: Brake Disc
Front tire: 120/60-13"
Rear tire: 130/60-13"
Front Suspension: Telescopic
Rear Suspension: Hydraulic

Thor - 125CC



Engine

Type: single cylinder, 4 stroke, air cooled
Displacement: 124.6 CC
Bore x Stroke: 52.4 x 57.8 mm
Compression Ratio: 10.5:1
Max power: 6.6 Kw @ 8000rpm
Ignition: C.D.I
Starter: Electric and kick
Gear System: Automatic CVT
Gear: V-Belt
Battery: 12V/7A
Fuel tank: 6.8 liters

Frame Body

Length*Width*Height:
1840mm*680mm*1150mm
Seat Height: 810mm
Wheelbase: 1315mm
Net Weight: 106Kg
Front Brake: Brake Disc
Rear Brake: Brake Disc
Front tire: 120/60-13"
Rear tire: 130/60-13"
Front Suspension: Telescopic
Rear Suspension: Hydraulic

Tourer - 250CC



Engine

Type: single cylinder, 4 stroke, liquid cooled
Displacement: 249.6 CC
Compression Ratio: 11.5:1
Max power: 25.2 Kw @ 9000rpm
Suction System: EFI
Ignition: C.D.I
Starter: Electric
Gear System: 6-gear
Battery: 12V/7A
Fuel tank: 16 liters

Frame Body

Length*Width*Height:
2130mm*868mm*1260mm
Seat Height: 795mm
Wheelbase: 1400mm
Net Weight: 175Kg
Front Brake: Brake Disc
Rear Brake: Brake Disc
Front tire: 90/90-21"
Rear tire: 130/90-18"
Front Suspension: Forcella
USD
Rear Suspension: Single
Shock Absorber